

TURKISH ACCREDITATION AGENCY

ACCREDITATION CERTIFICATE

As a Testing Laboratory

SUPERLİT BORU SANAYİ A.Ş Düzce Deney Laboratuvarı

Central Address: ERGENEKON MAH. CUMHURİYET CAD. KARAMANCI HOLDİNG NO:155/3 ŞİŞLİ İstanbul / Türkiye

*The list of the branches operating under the same accreditation depending on the central address and the scope of these branches are given in the annexes.

is accredited in accordance with TS EN ISO/IEC 17025:2017 standard within the scope given in Annex following the assessment conducted by TURKAK.

Accreditation Number: AB-0024-T

Accreditation Date: 10.10.2005

Revision Date / Number: 01.08.2022 / 18

This certificate shall remain in force until **06.05.2026**, subject to continuing compliance with the standard **TS EN ISO/IEC 17025:2017**, related regulations and requirements.

Gülden Banu Müderrisoğlu Secretary General



Turkish Accreditation Agency (TURKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Agreement (MRA) in the scope of ISO/IEC 17025.

This document has been signed by Gülden Banu Müderrisoğlu on {1} with a secure electronic signature in accordance with the electronic signature law numbered 5070.

+90 312 410 82 00 - www.turkak.org.tr

Annex of the Certificate (Page 1/2) Accreditation Scope



SUPERLİT BORU SANAYİ A.Ş Düzce Deney Laboratuvarı

Accreditation Nr: AB-0024-T Revision Nr: 18 Date: 01.08.2022

Testing Laboratory

Address : ERGENEKON MAH. CUMHURİYET CAD. KARAMANCI HOLDİNG NO:155/3 ŞİŞLİ İstanbul / Türkiye Phone Fax Email Website :+90 380 544 4400 :-:syaman@superlit.com :www.superlit.com

Plastic and Rubber Products

Tested Materials / Products	Name of Test	Testing Method (National, International Standards, In-house Methods)
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of the Apparent Initial Longitudinal Tensile Strength (Max= 250 kN)	TS ISO 8513 (Method A)
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of the Apparent Initial Circumferential Tensile Strength	TS ISO 8521 (Method B, Method D) TS EN 1394 (Method B, Method D)
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of Initial Specific Ring Stiffness (Max d= 3000 mm)	TS ISO 7685 (Method B) TS EN 1228 (Method B) ASTM D2412
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of leaktighness of the wall under short-term internal pressure	ISO 7511 (Method A)
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of the Resistance to Initial Ring Deflection (Max= 100 kN)	TS ISO 10466
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of Indentation Hardness by means of a Barcol Hardness Tester	TS EN 59
Plastics, Thermoplastics Pipe and Fittings, Plastic Pipe Systems	Determination of Dimensions (Length, Outside Diameter, Wall Thickness)	TS EN ISO 3126 (Section 5.2, Section 5.3.3, Section 5.5)

This document has been signed by Gülden Banu Müderrisoğlu on {1} with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.



Annex of the Certificate (Page 2/2) Accreditation Scope



SUPERLİT BORU SANAYİ A.Ş Malatya Deney Laboratuvarı

Accreditation Nr. AB-0024-T Revision Nr. 18 Date: 01.08.2022

Testing Laboratory

Address: 2. Organize Sanayi Bölgeşi 2.Kısım 9.Cadde No:14 44044 Malatya,Türkiye Malatya/Türkiye

Phone Fax Email Website

+90 422 244 0288 : kalite@superlit.com

Plastic and Rubber Products

_		
Tested Materials / Products	Name of Test	Testing Method (National, International Standards, In-house Methods)
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of the Apparent Initial Longitudinal Tensile Strength (Max= 250 kN)	TS ISO 8513 (Method A)
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of the Apparent Initial Circumferential Tensile Strength	TS ISO 8521 (Method D) TS EN 1394 (Method D)
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of Initial Specific Ring Stiffness (Max d= 4000 mm)	TS ISO 7685 (Method B) TS EN 1228 (Method B) ASTM D2412
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of leaktighness of the wall under short-term internal pressure	ISO 7511 (Method A)
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of the Resistance to Initial Ring Deflection (Max= 100 kN)	TS ISO 10466
Glassfibre Reinforced Plastics (GRP) Pipe and Fittings	Determination of Indentation Hardness by means of a Barcol Hardness Tester	TS EN 59
Plastics, Thermoplastics Pipe and Fittings, Plastic Pipe Systems	Determination of Dimensions (Length, Outside Diameter, Wall Thickness)	TS EN ISO 3126 (Section 5.2, Section 5.3.3, Section 5.5)

This document has been signed by Gülden Banu Müderrisoğlu on {1} with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.

